Application No.: 10/563,421 Docket No.: 12810-00189-US

AMENDMENTS TO THE CLAIMS

This Listing of Claims will replace all prior versions and listings of claims in this application.

Listing of Claims:

- 1. (Currently Amended) A process for obtaining oligomers of polytetrahydrofuran or of tetrahydrofuran copolymers from a methanolic crude product which contains polytetrahydrofuran or tetrahydrofuran copolymers and is obtained in the transesterification of the mono- and/or diesters of polytetrahydrofuran or tetrahydrofuran copolymers with methanol, which comprises:
 - a) removing the majority of the methanol from the crude product in a first distillation stage;
 - b) separating the resulting bottom product by distillation into a top fraction comprising the oligomers of polytetrahydrofuran or of tetrahydrofuran copolymers, and polytetrahydrofuran or tetrahydrofuran copolymer; and
 - c) condensing the oligomers of polytetrahydrofuran or of tetrahydrofuran copolymers out of the top fraction from stage b).
- 2. (Original) A process as claimed in claim 1, wherein the methanol removed in stage a) is recycled into the transesterification.
- 3. (Previously Presented) A process as claimed in claim 1, wherein distillation is effected in stage a) at from 20 to 500 mbar gauge and a temperature of from 50 to 250°C.
- 4. (Previously Presented) A process as claimed in claim 1, wherein distillation is effected in stage b) at an absolute pressure of from 1 to 300 mbar and at from 50 to 250°C.
- 5. (Previously Presented) A process as claimed in claim 1, wherein condensation is effected in stage c) at a temperature of from 5 to 40°C.

Application No.: 10/563,421 Docket No.: 12810-00189-US

6. (Currently Amended) A process as claimed in claim 1, wherein the crude product obtained is freed before stage a) of sodium ions stemming from <u>a</u> the transesterification catalyst by treatment with an ion exchanger.

- 7. (Previously Presented) A process as claimed in claim 2, wherein distillation is effected in stage a) at from 20 to 500 mbar gauge and a temperature of from 50 to 250°C.
- 8. (Previously Presented) A process as claimed in claim 2, wherein distillation is effected in stage b) at an absolute pressure of from 1 to 300 mbar and at from 50 to 250°C.
- 9. (Previously Presented) A process as claimed in claim 3, wherein distillation is effected in stage b) at an absolute pressure of from 1 to 300 mbar and at from 50 to 250°C.
- 10. (Previously Presented) A process as claimed in claim 2, wherein condensation is effected in stage c) at a temperature of from 5 to 40°C.
- 11. (Previously Presented) A process as claimed in claim 3, wherein condensation is effected in stage c) at a temperature of from 5 to 40°C.
- 12. (Previously Presented) A process as claimed in claim 4, wherein condensation is effected in stage c) at a temperature of from 5 to 40°C.
- 13. (Currently Amended) A process as claimed in claim 2, wherein the crude product obtained is freed before stage a) of sodium ions stemming from <u>a</u> the transesterification catalyst by treatment with an ion exchanger.
- 14. (Currently Amended) A process as claimed in claim 3, wherein the crude product obtained is freed before stage a) of sodium ions stemming from <u>a</u> the transesterification catalyst by treatment with an ion exchanger.
- 15. (Currently Amended) A process as claimed in claim 4, wherein the crude product obtained is freed before stage a) of sodium ions stemming from <u>a</u> the transesterification catalyst by treatment with an ion exchanger.

Application No.: 10/563,421 Docket No.: 12810-00189-US

16. (Currently Amended) A process as claimed in claim 5, wherein the crude product obtained is freed before stage a) of sodium ions stemming from <u>a</u> the transesterification catalyst by treatment with an ion exchanger.